

PALM INTRANET

Day : Tuesday  
Date: 5/25/2004  
Time: 15:42:57

# Inventor Information for 10/606242

Inventor Name			City	State/Country	
BARRY, JONATHAN D.			FREDERICK	MARYLAND	
Appln Info	Contents	Petition Info	Atty/Agent Info	Continuity Data	Foreign Data

Search Another: Application#   
or Patent#  PCT /  /  or PG PUBS #  Attorney Docket #  Bar Code #  

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

	Type	L #	Hits	Search Text	DBs	Time Stamp
35	BRS	L35	36	magnetron with baffle	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 16:00
36	BRS	L36	48	magnetron with baffle\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:13
37	BRS	L37	0	36 and (anode with cylinder) and cathode	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 15:50
38	BRS	L38	0	36 and (anode with cylinder)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 15:51
39	BRS	L41	3	20 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:14
40	BRS	L42	0	40 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 15:55

	Type	L #	Hits	Search Text	DBs	Time Stamp
41	BRS	L40	4	39 and vane\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:23
42	BRS	L43	448	magnetron with ((tubular or cylinder) near anode\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:26
43	BRS	L44	203	43 and cathode\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:27
44	BRS	L45	139	44 and vane\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:27
45	BRS	L47	0	46 and baffle\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:28
46	BRS	L46	25	45 and (resonance with cavit\$3)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 16:06

	Type	L #	Hits	Search Text	DBs	Time Stamp
47	BRS	L48	81	45 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:11
48	BRS	L49	0	2243018.URPN.	USPAT	2004/05/25 17:10
49	BRS	L50	0	48 and baffle\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:12
50	BRS	L51	36	36 and 35	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:13
51	BRS	L53	1	52 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:18
52	BRS	L54	0	43 and baffle\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:16
53	BRS	L55	1	39 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:27

	Type	L #	Hits	Search Text	DBs	Time Stamp
54	BRS	L52	14	36 and anode and cathode	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:19
55	BRS	L39	14	36 and (anode) and cathode	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:22
56	IS&R	L56	928	(219/746,757,681,759).CCLS.	USPAT	2004/05/25 17:23
57	IS&R	L57	1552	(219/746,757,681,759).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:24
58	IS&R	L58	3302	(204/298.19,298.16,298.18,192,22,192.12,192.26).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:24
59	IS&R	L59	1657	(315/39.51,39.71,39.69,39.53).CCLS.	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:25
60	BRS	L60	3938	56 or 57 or 58 or 59	USPAT	2004/05/25 17:25
61	BRS	L61	6500	56 or 57 or 58 or 59	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:26

	Type	L #	Hits	Search Text	DBs	Time Stamp
62	BRS	L62	111	61 and magnetron with ((tubular or cylinder) near anode\$1)	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:26
63	BRS	L63	83	62 and cathode\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:27
64	BRS	L64	67	63 and vane\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:27
65	BRS	L65	55	64 and antenna	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:28
66	BRS	L66	0	65 and baffle\$1	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:28
67	BRS	L67	0	65 not 48	USPAT; US-PGP UB; EPO; JPO; DERWE NT	2004/05/25 17:28